


DearKOL®



Structure Of Light  
And Shadow

DEARKOL GRIP 2026

DearKOL®



www.dearkol.com

2005-2026

YOUR PROFESSIONAL  
SUPPORT SOLUTION

www.dearkol.com



# ABOUT US

Dearkol was founded in 2005 by a professional Gripping Gear Engineer, who is determined to create high quality while affordable equipment, serving not only photographic, but also filming and television companies and rental houses.

Now Dearkol has become the first company in China mainland to provide truly affordable and professional gripping equipment with the quality and functions needed to fully realize any creative vision.

While we specialize in creating lighting accessories that often work behind the scenes, we are passionate about sharing the fun and possibilities that professional grip equipment can bring - and we look forward to contributing our part to the entertainment industry as a whole.



# DEARKOL SOCIAL MEDIA



YouTube



Facebook



INS



Official website  
[www.dearkol.com](http://www.dearkol.com)

# Contents

## 01

### ACCESSORIES

Adapter	02-07
Clamp	08-14
Caster	15-15
Wall Plate	16-17
Extension Arm	18-19
Multi-Head Bracket	20-22
Boom Arm	23-27
Auxiliary Accessories	28-29

## 02

### Light Stand

Low Base Stand	31-33
Mini Stand	34-35
Reversible Stand	36-37
Aluminum Light Stand	38-39
Boom Arm	40-47
Auto Pole	48-49
C-Stand	50-53
Rolling Stand	54-57
Special-Shaped Light Stand	58-59
Combo Stand	60-67
Wind-Up Stand	68-77
Truss Accesories	78-79

## 03

### Soft light accessories

Flag	80-83
Butterfly Diffusion	84-89

## 04

### Carts

Carts	90-99
-------	-------

## Icon Legend


	Minimum Height		Maximum Height
	Load Capacity		Net Weight
	Folded Height		Footprint
	Column Diameter	<b>LEG</b>	Leg Diameter
<b>SECTION</b>	Section		Castors
	Height with Boom Exntended		Arm Length



# 01

PART 1

## Dearkol Accessories



## Product Features

Designed for multiple scenarios, compatible with various continuous lights, flash lights, reflectors, and other equipment. Easily connects with different brands and models to expand your lighting system. Made of high-quality metal materials to ensure secure fastening and long-term stable, reliable performance.



1/4"-20 Thread



3/8"-16 Thread



5/8" Baby Pin



Hex Connector



**MB-01**  
1/4"-20 Male Thread & 3/8"-16 Female Thread  
● 0.02

**MB-02**  
3/8"-16 Male Thread & 1/4"-20 Female Thread  
● 0.02



**MB-03**  
1/4"-20 & 3/8"-16 Male Threads  
● 0.02

**MB-03A**  
1/4"-20 & 1/4"-20 Male Threads  
● 0.02

**MB-04**  
3/8"-16 Male Threads  
● 0.02



**MB-05**  
1/4"-20 Male & 5/8" Pin  
● 0.04



**MB-06**  
Twin 5/8" Female  
L:65mm  
● 0.08

**MB-06A**  
Twin 5/8" Female  
L:65mm  
● 0.08



**MB-07**  
5/8" Female to 11/16" Female  
L:78mm  
● 0.10

**MB-07A**  
5/8" Female to 11/16" Female  
L:78mm  
● 0.10



**MB-08**  
5/8" Receiver and 3/8" Stud  
● 0.12



**MB-09**  
1/4"-20 Female Thread & 5/8" Male Baby Pin  
L:90mm  
● 0.76 ● 10kg



**MB-10**  
5/8" Baby Pin  
L: 145mm  
● 0.16



**MB-17**  
5/8" Stud  
L:125mm  
● 0.16



**MB-18**  
1 1/8" and 5/8" Junior to Baby Pin  
L:190mm  
● 0.62



**M11-018**  
Male 1/4" Thread with 5/8" Socket  
● 0.09

**M11-019**  
Male 3/8" Thread with 5/8" Socket  
● 0.10



**TT-3348A**

**TT-3348B**

**TT-3348C**  
Bulb adapter with 1/4"-20 Female Thread  
● 0.04



**M11-001**  
1/4"-20 & 3/8"-16 Male Threads L:68mm  
● 0.07



**M11-015**  
1-1/8" & 5/8" Junior to Baby Pin  
● 0.55



**M11-020**  
1-1/8" Male Stud  
● 0.58



**M11-007S**  
5/8" Pin & 5/8" Hex Stud  
L:100mm  
● 15



**MB-33**  
1/4"-20 Male Thread & 5/8" Baby Pin  
● 0.16



**MB-34**  
3/8"-16 Female Thread & 5/8" Male Pin  
● 0.09



**MB-35**  
5/8"Receiver to 5/8" Pin  
● 0.07



**H-816**  
Right angle baby adapter  
● 0.47



**M11-114**  
Scissor Mount for Drop Ceiling 5/8" Pin  
● 0.12



**M11-101**  
Double Ball Joint Adapter 5/8" Receiver & 1-1/8" Male Stud  
● 0.76 ● 6kg



**MB-16**  
5/8" Baby Socket to 1-1/8" Junior Stud  
● 0.30



**MB-21**  
Baby Drop Pin 5/8" Pin & 5/8" Receiver  
● 0.32



**MB-36**  
Camera Mount  
● 0.10



**MB-37**  
Camera Mount 5/8"receiver 1/4" Male Thread  
● 0.10



**H-2816**  
Baby Drop Pin 5/8" Receiver to 1-1/8"Adapter  
● 0.66



**H-2816A**  
Baby Drop Pin 5/8" Receiver to 1-1/8"Adapter  
● 0.43



**MB-38**  
Camera Mount 5/8" receiver 1/4" Male Thread  
● 0.60



**H-5670**  
Camera Mount 5/8" receiver 3/8" Male Thread  
● 0.60



**M11-050**  
Swivel Umbrella Adapter with Steel Stud  
● 0.37

**M11-050A**  
Swivel Umbrella Adapter with Steel Stud  
● 0.32



**MB-70**  
Swivel Camera Adapter with 5/8"Receiver  
● 0.67



**MB-24**  
Grip Head  
● 2.22



**M11-071**  
Camera Platform 1/4"-20Camera Screw 5/8" Receiver  
● 0.16



**M11-091**  
Heavy Duty Swivel Adapter 5/8" Pin and 5/8" Receiver  
● 0.76 ● 10kg



**M11-100**  
Double Ball Joint Adapter 1/4"-20 Feamle & 3/8"-16 Feamle Thread 5/8" Pin  
● 0.50 ● 6kg



Video



**M11-033**  
Boom ClampTube Diameter:8/10/12/16mm  
● 0.60



Video



**MB-53**  
Coupler, Φ42-Φ50mm  
● 6.40

## DEARKOL ACCESSORIES

Features a strong clamping mechanism with flexible and secure multiple interfaces.

Offers adjustable clamping ranges to firmly hold various photography lights, reflectors, microphones, and more. Some clamps come with safety ropes to ensure equipment security during use..

## DEARKOL FIXTURE SERIES PARAMETER CONFIGURATION TABLE

### Super Clamp Specifications

Model	Name	Clipable range	Material	Load Capacity	Net Weight	Interface
M11-034	Super Clamp	Φ13-50mm	Aluminum	20kg	0.58kg	1/4" Female Hexagon Socket
M11-034T	Super Clamp	Φ13-50mm	Aluminum (Iron Threaded Rod)	15kg	0.58kg	1/4" Female Hexagon Socket
M11-034S	Super Clamp	Φ13-50mm	Aluminum	20kg	0.58kg	1/4" Female Hexagon Socket
M11-034A	Double Super Clamp	Φ13-55mm	Aluminum	/	1.08kg	/
M11-035	Grip Head with Super Clamp	Φ13-55mm	Aluminum	/	1.00kg	/

### Flat Jaw Clamp Specifications

Model	Name	Clipable range	Material	Load Capacity	Net Weight	Interface
M11-060	Large Clip Clamp	/	Steel	/	0.25kg	5/8" Female Thread 3/8" Female Thread
M11-201	4" A Clamp	/	Steel	/	0.08kg	/
M11-202	6" A Clamp	/	Steel	/	0.18kg	/
M11-203	9" A Clamp	/	Steel	/	0.42kg	/
M11-204	Clamp	/	Steel	/	0.44kg	/

## Cardellini Specifications

Model	Name	Clipable range	Material	Load Capacity	Net Weight	Interface
M11-078A	225MM Cardellini	Φ16-50mm	Aluminum (Iron Threaded Rod)	40kg	0.70kg	5/8" Baby Pin
M11-078B	320MM Cardellini	Φ16-150mm	Aluminum (Iron Threaded Rod)	30kg	0.85kg	5/8" Baby Pin
M11-078C	445MM Cardellini	Φ16-265mm	Aluminum (Iron Threaded Rod)	25kg	0.96kg	5/8" Baby Pin
M11-078D	345MM Cardellini	Φ16-170mm	Aluminum (Iron Threaded Rod)	30kg	0.85kg	5/8" Baby Pin
M11-078E	250MM Cardellini	Φ16-80mm	Aluminum (Iron Threaded Rod)	40kg	0.75kg	5/8" Baby Pin
M11-078F	180MM Mini Clamp	Φ12-60mm	Aluminum (Iron Threaded Rod)	5kg	0.20kg	5/8" Baby Pin

## Multi-Purpose Clamp Specifications

Model	Name	Clipable range	Material	Load Capacity	Net Weight	Interface
M11-075	Gaffer Clamp	Φ25-65mm	Aluminum	5kg	0.72kg	5/8" Baby Pin
M11-076	Pelican Gaffer Grip	Φ15-80mm	Aluminum	15kg	1.08kg	5/8" Baby Pin
M11-095	Pipe Clamp	Φ16-52mm	Aluminum	100kg	0.84kg	5/8" Baby Pin
M11-095A	Pipe Clamp	Φ16-52mm	Aluminum	100kg	0.90kg	/
M11-038	Pipe Clamp	Φ16-50mm	Aluminum	20kg	0.40kg	5/8" Baby Pin
MB-39	Swiveling C Clamp	Φ28-78mm	Aluminum	100/20kg	1.86kg	5/8" Baby Pin

## Pipe Clamp Specifications

Model	Name	Clipable range	Material	Load Capacity	Net Weight	Interface
M13-010	35-50 Coupler	Φ35-50mm	Aluminum	100KG	0.50kg	/
M13-010A	35-50 Coupler	Φ35-50mm	Aluminum	300KG	0.80kg	/
M13-011A	35-50 Coupler	Φ35-50mm	Aluminum	300KG	0.80kg	/
M13-013	35-50 Coupler	Φ35-50mm	Aluminum	20KG	1.0kg	/
M13-014	35-50 Coupler	Φ35-50mm	Aluminum	300KG	1.1kg	/
M13-2821	35-50 Coupler	Φ35-50mm	Aluminum	30KG	0.70kg	/
MB-53	42-50 Coupler	Φ42-50mm	Aluminum	/	6.40kg	/

# Clamp

## M11 / M13 Series



Video



**M11-034**  
Super Clamp  
Max :Φ13~55mm  
● 0.58 ● 20kg



**M11-034T**  
Super Clamp  
Max :Φ13~55mm  
● 0.58 ● 15kg



**M11-034S**  
Super Clamp  
Max :Φ13~55mm  
● 0.58 ● 20kg



**M11-034A**  
Double Super Clamp  
Max :Φ13~55mm  
● 1.08



**M11-035**  
Grip Head with Super Clamp  
Max.: Φ13-55mm  
● 1.00



### Key Features



#### • Universal Interface & Multi-functional Fixation

1/4" and hex interfaces compatible with most film and video accessories. Securely mounts lights, reflectors, extension arms, magic arms, etc., onto stands, desktops, crossbars, and more.



#### • Compact & Sturdy Structure

Portable and easy to store, ideal for on-location shoots or multi-camera setups. Metal construction with strong grip ensures equipment safety and prevents slipping.



**M11-078F**  
180MM Cardellini  
Mini Clamp  
12-60mm  
● 0.20 ● 5kg



Video



**M11-078A**  
225MM Cardellini  
End Jaw Clamp with 5/8" Pin  
& Hex Socket 16-50mm  
● 0.70 ● 40kg



**M11-078E**  
250mm Cardellini  
End Jaw Clamp with 5/8" Pin  
& Hex Socket 16-80mm  
● 0.70 ● 40kg




**M11-078B**  
320mm Cardellini  
End Jaw Vise Grip 5/8" Pin  
16-150mm  
● 0.85 ● 30kg



**M11-078D**  
345mm Cardellini  
End Jaw Clamp with 5/8" Pin  
& Hex Socket 16-170mm  
● 0.85 ● 30kg



**M11-078C**  
445mm Cardellini  
End Jaw Clamp with 5/8" Pin  
& Hex Socket 16-265mm  
● 0.96 ● 25kg





**M11-201**  
4" A Clamp  
● 0.08



**M11-202**  
6" A Clamp  
● 0.18



Video



**M11-095**  
PiPe Clamp 5/8"  
Max :Φ16-52mm  
● 0.84 ● 100kg



**M11-095A**  
PiPe Clamp 1/2-13  
Max :Φ16-52mm  
● 0.9 ● 100kg



**M11-203**  
9" A Clamp  
● 0.42



**M11-204**  
Clamp  
● 0.44



**MB-55**  
PiPe Clamp 5/8"  
Max :Φ16-52mm  
● 0.92 ● 300kg



**M11-038**  
Pipe Clamp with 5/8" Pin  
Max :Φ16~50mm  
● 0.40 ● 20kg



**M11-205**  
4" A Clamp  
● 0.20



**M11-206**  
6" A Clamp  
● 0.30



**MB-22**  
Clamp with Baby Pin 5/8"  
Pin & 1/4"-20 Female  
Max :Φ55mm  
● 0.14



**M13-013**  
Coupler with grip head  
Φ35-Φ50mm  
● 1.0 ● 20kg



**M11-060**  
Large Clip Clamp 5/8"  
Receptor and 3/8"-16  
Female Thread  
● 0.25



**M11-075**  
Adjustable Gaffer Clamp  
5/8" Pin & 5/8" Receiver  
Max :Φ 25-65mm  
● 0.72 ● 5kg



**MB-39**  
Swiveling Pipe Clamp  
Max :Φ28-78mm  
● 1.86



**M11-076**  
Pelican Gaffer Grip 5/8"  
Pin 42/64" Stud  
Max:Φ15-80mm  
● 1.08 ● 15kg



# Clamp

## M11 / M13 Series

# Caster

## M11 Series



Video



**M13-014**  
Coupler,  $\phi$  35- $\phi$  50mm  
● 1.1 ● 300kg



**M13-010**  
Coupler with 5/8" stud,  
 $\phi$  35- $\phi$  50mm  
● 0.50 ● 100kg



**M13-2821**  
Coupler with 5/8" stud,  
 $\phi$  35- $\phi$  50mm  
● 0.70 ● 30kg



**M13-010A**  
Coupler,  $\phi$  35- $\phi$  50mm  
● 0.50 ● 200kg



**M13-011A**  
Coupler,  $\phi$  35- $\phi$  50mm  
● 0.80 ● 300kg



**M13-2501**  
Coupler,  $\phi$  40-52mm  
Load Capacity  
(5/8" Male Stud): 40KG  
(1-1/8" Female Receiver): 300KG  
● 0.96



**M11-036B**



■  $\phi$ 25x25 Locking wheel set for combo stands  
● 3.78

**M11-036C**



Video

■  $\phi$ 25/30 Locking Wheel Set for C-stands  
● 2.30

**M11-036F**



■  $\phi$ 30x30 Heavy-duty Locking Wheel Set  
● 2.30

## Key Features



### • Multi-Spec Tube Diameter Compatibility

Commonly adapts to 30–50 mm tube diameters, easily pairs with light stands, crossbars, and studio hanging pipes.



### • Solid Construction

Aluminum alloy construction, durable and deformation-resistant, providing even clamping force for secure support of heavier equipment.



## Product Features

Provides stable support and an adjustable height platform. Typically used to support lights, cameras, microphones, or other equipment, allowing precise suspension or positioning. The T-shaped design evenly distributes weight for enhanced stability.



5/8" Baby Pin



Mounting Position



**MB-11**  
3" Baby Pin Wall Plate  
● 0.46



**MB-11A**  
Cheapter Wall Plate  
● 0.46



Video



**MB-12**  
6" Baby Pin Wall Plate  
● 0.56



**MB-13A**  
9" Baby Pin Wall Plate  
● 0.68



**MB-13**  
Right Angle Baby Plate  
● 0.68



**MB-14**  
Baby 5/8" Locking Receiver & Wall Plate  
● 0.56



**H-15912**  
Junior wall plate  
● 0.75




**H-12101**  
Wall plate with swivel adapter  
● 0.98



**M11-092**  
5/8" Baby Swivel with Wall Plate  
● 0.96



## Key Features



### • Stability & Support

Secured to a wall or any flat surface with screws to ensure the equipment will not accidentally slide or tip over during use.



### • Versatility

Standard interfaces enable quick setup in multiple configurations. Use it as a standalone stand or combine with accessories for lighting, shooting assistance, and on-site monitoring.



### • Lightweight & Portable

Lightweight metal construction allows easy movement and positioning. When paired with a wooden board, it enables quick adjustments and flexible on-set setups.



### • Space Efficiency

Secured to a wall or any flat surface with screws to ensure the equipment will not accidentally slide or tip over during use. Ideal for compact studios, especially when multiple equipment supports are needed in limited spaces, offering flexible support without occupying much floor area.

## Product Features

A versatile and convenient photography accessory widely used for supporting and adjusting lights, cameras, and other accessories. Flexible joints and adjustable length meet various shooting angle needs. Quick installation and removal design with strong compatibility, adaptable to multiple photography devices, significantly improving work efficiency.



1/4"-20 Thread



3/8"-16 Thread



5/8" Baby Pin



Hex Connector



**M11-033H**  
20" Extension Arm  
Black  
● 1.19



**M11-033HS**  
20" Extension Arm  
Silver  
● 1.19



**M11-033L**  
40" Extension Arm  
Black  
● 1.26



**M11-033LS**  
40" Extension Arm  
Silver  
● 1.26



**M11-033E**  
C Stand Boom 1/4"-20  
Male & 3/8" Male Threads  
L:120cm  
● 0.86



**MB-54**  
Offset Arm  
● 0.60



**MB-32**  
Offset Arm  
● 0.42



**MB-32A**  
Offset Arm  
● 0.72



**M11-103**  
6" Extension Arm with Spigot  
5/8" Receiver 1/4"-20 Male &  
3/8"-16 Male Threads  
● 0.18



**H-500**  
Offset Arm  
● 0.97



**H-600**  
Offset Arm  
● 1.1



**MB-42**  
Articulated Arm  
● 1.00 ● 4kg



**MB-42A**  
Articulated Arm  
● 1.10 ● 4kg



**MB-42B**  
Articulated Arm  
● 1.00 ● 4kg



**M11-168**  
11" Articulated Arm  
● 0.28



**M11-068**  
7" Articulated Arm  
● 0.25



**M11-069**  
11" Articulated Arm  
● 0.26



**M11-069A**  
11" Articulated Arm  
● 0.26

## Product Features

A versatile multi-head bracket designed to hold multiple lights at once, enabling flexible multi-angle lighting. It helps optimize light placement, minimize obstruction, and maximize available shooting space for complex setups.



5/8" Baby Pin



1-1/8" Junior Receiver



**H-001**  
5/8" socket x1 5/8" stud x3  
Length:50cm, 25x25mm  
● 1.33



**H-002**  
5/8" socket x3 5/8" stud x1  
Length:50cm, 25x25mm  
● 1.42



**H-003**  
5/8" socket x1 5/8" stud x4  
Length:60cm, 25x25mm  
● 1.65



**H-004**  
5/8" socket x1 5/8" stud x5  
Length:75cm, 25x25mm  
● 1.94



Video



**H-004B**  
5/8" socket x1 5/8" stud x5  
Length:75cm, 20x40mm  
● 2.04



**H-005**  
5/8" socket x5 5/8" stud x1  
Length:75cm, 25x25mm  
● 2.54



**H-005A**  
Junior Multiple Light Fixture  
Length:90cm, 30x30mm  
● 3.7



**H-013**  
Multiple light fixture  
Length:50.5cm, 30x30mm  
● 1.36



**H-014**  
Multiple light fixture  
Length:50.5-73.0cm, 30x30/25x25mm  
● 2.0



Video

**H-015**  
Multiple light fixture  
Length:53.0cm, 20x40mm  
● 1.7



**H-015A**  
Multiple light fixture  
Length:51-72cm, 30x30/25x25mm  
● 2.38



**H-006**  
Photo Flag Arm  
● 4.65 ● 890mm ● 1390mm



**H-007**  
Photo Flag Arm  
● 2.48 ● 800mm ● 1150mm



## ■ Boom Arm

Model No.	H-009	H-010	H-011
⊕	1500mm	1900mm	2500mm
⊖	890mm	1090mm	1290mm
⊙	3.20kg	3.90kg	4.50kg
⊘	φ 15-65mm	φ 15-65mm	φ 15-65mm



5/8" Baby Pin



Block Clamp Collar



## ■ Boom Arm

Model No.	H-009A	H-010A	H-011A
⊕	1500mm	1900mm	2500mm
⊖	890mm	1090mm	1290mm
⊙	3.20kg	3.90kg	4.50kg
⊘	φ 15-65mm	φ 15-65mm	φ 15-65mm



Hex Bolt Mounting



Block Clamp Collar



Video



## ■ Boom Arm

Model No.	H-009C	H-010C	H-011C
⊕	1500mm	1900mm	2500mm
⊖	890mm	1090mm	1290mm
⊙	3.60kg	4.30kg	4.90kg
⊘	φ 15-65mm	φ 15-65mm	φ 15-65mm



Junior Receiver



Block Clamp Collar





### ■ Boom Arm

Model No.	H-009D	H-010D	H-011D
	1500mm	1900mm	2500mm
	890mm	1090mm	1290mm
	3.20kg	3.90kg	4.50kg
	φ 15-65mm	φ 15-65mm	φ 15-65mm



5/8" Baby Pin



Pull-Ring Collar



### ■ Boom Arm

Model No.	H-009E	H-010E	H-011E
	1500mm	1900mm	2500mm
	890mm	1090mm	1290mm
	3.20kg	3.90kg	4.50kg
	φ 15-65mm	φ 15-65mm	φ 15-65mm



Hex Bolt Mounting



Pull-Ring Collar



### ■ Boom Arm

Model No.	H-009F	H-010F	H-011F
	1500mm	1900mm	2500mm
	890mm	1090mm	1290mm
	3.60kg	4.30kg	4.90kg
	φ 15-65mm	φ 15-65mm	φ 15-65mm



Junior Receiver



Pull-Ring Collar



H-016  
Baby Adapter  
● 0.6



5/8" Female Receiver



5/8" Baby Pin

### ■ Boom Arm


Model No.	H-017A	H-017B	H-017C	H-017D
	300mm	450mm	600mm	750mm
	0.5kg	0.65kg	0.8kg	0.95kg

# Boom Arm


## H Series



**M15-50**  
Lighting Mount (45-50mm)  
● 3.95



Use Flat



Use Vertically



**DK-100**  
Boom Connector  
Compatible Tube Diameter: 50mm-1-1/2"  
● 5.30



Application Display

### EFFICIENT INTEGRATION OF LIGHTING POSITIONS

Excellent expandability

Stable load-bearing

Space-efficient design

Consistent light direction



## Product Features

These accessories can be flexibly combined based on different shooting needs, revolving around the three core principles of "Safety, Efficiency, and Compatibility." They provide reliable on-set support, greatly enhancing safety and work efficiency.



**H-12100**  
Wall plate with swivel adapter  
● 0.33



**H-12100A**  
Wall plate with swivel adapter  
● 0.4




**MB-47S**  
Foamcore Clamp  
● 0.74



**MB-48S**  
Foamcore Clamp  
● 1.0



**MB-25**  
Foamcore fork with 5/8" & 15cm stud  
● 0.38



**MB-26**  
Foamcore fork with 5/8" & 15cm stud  
● 0.66



**MB-28**  
Safety Cable  
18" x 1.5mm  
● 0.24 ● 10kg



**MB-29**  
Safety Cable  
32" x 1.5mm  
● 0.26 ● 10kg



**MB-30**  
Safety Cable  
32" x 3.0mm  
● 0.52 ● 20kg




**MB-31**  
Safety Cable  
41" x 5.0mm  
● 1.45 ● 40kg



# 02

PART 2

## Dearkol Light stands



## Product Features

Lower in height, suitable for ground-level light installation for fill light, ambiance creation, or special lighting effects. Features a low base and foldable support design, stays close to the ground to prevent tipping, ensuring safety during shoots.



Steel Stud



Flat-Profile Legs



- L-100
- Ⓐ 150mm
- Ⓐ 150mm
- Ⓜ 333mm
- Ⓜ 0.82kg
- SECTION 1
- Ⓞ /
- LEG 4x24mm
- Ⓢ 5kg
- Ⓢ 680mm



### Detachable Design

Detachable leg base and top stud with 1/4" and 3/8" threads. The modular design allows users to pair it with center columns of different heights for customized setups.

## Key Features



### Foldable & Portable


Compact and lightweight, easy to store and transport, ideal for mobile shoots and small-space lighting.



### Low-Level Lighting

Lower height suitable for ground-level light placement for fill light, ambiance, or special effects, while preventing direct contact between lights and the ground.

# DESIGNED FOR LOW-ANGLE LIGHTING



## Product Features

Compared to 40" standard C-Stand, this 1" Mini C-Stand is much shorter and lighter, easy to carry, suitable for table-top shooting. Includes 360° rotating ball head, compatible with cameras, small fill lights, phone holders, microphones, and other accessories. Ideal for ambience light, live streaming, product photography, and other scenarios requiring flexible supports.



1/4"-20 Thread



1/4" 360° Rotating Ball Head



Video



### DC-101

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.94kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-102

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.88kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-103

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.91kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-105

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.91kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-101B

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.94kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-102B

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.88kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



### DC-103B

- ⊕ 280mm
- ⊕ 480mm
- ⊕ 280mm
- ⊕ 0.91kg
- SECTION 3
- ⊙ 10,15,20
- LEG 10
- ⊕ 2kg
- ⊕ 300mm



## Package Contents



### • Silver Model Configuration

Comes with a Phone holder (standard)  
Panel light (optional)



### • Black Model Configuration

Comes with a Phone holder (standard)  
Panel light (optional)

# Reversible Stand

## Product Features


Reversible Design allows easy one-handed carrying, hassle-free for outdoor shoots and scene setups. Streamlined structure design eliminates bulky traditional stands, making movement and transport easier. Fits easily into backpacks or corners, saving space – the perfect balance of lightweight portability and professional stability, enabling creativity anytime, anywhere.



Steel Stud



Brass Stud



Copper Steel Square Leg Tubes




### ▪ L-2000D

- ⊗ 590mm
- ⊕ 2150mm
- ⊖ 590mm
- ⊙ 1.50kg
- SECTION 4
- ⊙ 19,22.4,26,29.5
- LEG 11x14mm
- ⊕ 5kg
- ⊖ 1000mm



5/8" Baby Pin



### ▪ L-2000E

- ⊗ 590mm
- ⊕ 2150mm
- ⊖ 590mm
- ⊙ 1.50kg
- SECTION 4
- ⊙ 19,22.4,26,29.5
- LEG 11x14mm
- ⊕ 5kg
- ⊖ 1000mm




3/8" -16 Thread



Reverse-fold for easy carrying



Adjustable leg tubes enable low-angle shooting



# DEARKOL REVERSIBLE STAND

## Product Features

Built-in spring protects lights and prevents finger pinching, stable load-bearing, easy operation. Multiple heights adapt to various lighting needs, from low-level fill light to high-level key light, commonly used in advertising shoots and studio photography.



Cross Adapter  
(1/4"-20 & 3/8"-16 Threads)



5/8" Baby Pin



Pull-Ring Collar

## Aluminum Medium-Duty Light Stand



Video



### DMZ-3000P

- Ⓐ 1220mm
- Ⓐ 2830mm
- Ⓜ 1050mm
- Ⓜ 2.62kg
- SECTION 3
- Ⓞ 25,30,35
- LEG 22mm
- Ⓢ 5kg
- Ⓢ 1240mm



5/8" Baby Pin




### DMZ-3800P

- Ⓐ 1410mm
- Ⓐ 3655mm
- Ⓜ 1130mm
- Ⓜ 3.26kg
- SECTION 4
- Ⓞ 25,30,35,40
- LEG 25mm
- Ⓢ 5kg
- Ⓢ 620mm



5/8" Baby Pin



### DMZ-3000FP

- Ⓐ 1220mm
- Ⓐ 2830mm
- Ⓜ 1050mm
- Ⓜ 2.62kg
- SECTION 3
- Ⓞ 25,30,35
- LEG 22mm
- Ⓢ 5kg
- Ⓢ 1240mm



Cross Adapter



### DMZ-3800FP

- Ⓐ 1260mm
- Ⓐ 3650mm
- Ⓜ 1075mm
- Ⓜ 3.26kg
- SECTION 4
- Ⓞ 25,30,35,40
- LEG 25mm
- Ⓢ 5kg
- Ⓢ 1240mm



Cross Adapter

## Stainless Steel Light Stand



### MZ-3000FS

- Ⓐ 1210mm
- Ⓐ 2650mm
- Ⓜ 1120mm
- Ⓜ 4.54kg
- SECTION 3
- Ⓞ 25,30,35
- LEG 22mm
- Ⓢ 10kg
- Ⓢ 1120mm



Cross Adapter




### MZ-3000S

- Ⓐ 1230mm
- Ⓐ 2645mm
- Ⓜ 1095mm
- Ⓜ 4.48kg
- SECTION 3
- Ⓞ 25,30,35
- LEG 22mm
- Ⓢ 10kg
- Ⓢ 1120mm



5/8" Baby Pin



## Product Features

The arms enable overhead lighting and multi-angle extension, meeting top light, backlight, and special perspective shooting needs. The arm is lightweight yet sturdy, with flexible angle adjustment and extension. Equipped with counterweight hanging points for safety and stability. The arm integrates the upright pole and rotating disk for quick angle and length adjustment, strong support, and compatibility with various lights and accessories.



Cross Adapter

5/8" Baby Pin

Junior Receiver

(1/4"-20 & 3/8"-16 Threads)

## Steel Boom Arm



**▪ L-1126C**

- ⊗ 1210mm
- ⊕ 2200mm
- ⊖ 1210mm
- ⊙ 3.22kg
- SECTION 2
- ⊙ 25,30
- ⊕ 5kg



Cross Adapter  
(1/4"-20 & 3/8"-16 Threads)



**▪ L-1126**

- ⊗ 1220mm
- ⊕ 2160mm
- ⊖ 1210mm
- ⊙ 4.18kg
- SECTION 2
- ⊙ 25,30
- ⊕ 5kg



5/8" Baby Pin



**▪ L-1118**

- ⊗ 1245mm
- ⊕ 2100mm
- ⊖ 1245mm
- ⊙ 4.16kg
- SECTION 2
- ⊙ 30,35
- ⊕ 5kg



Junior Receiver



**▪ L-1120**

- ⊗ 1080mm
- ⊕ 2325mm
- ⊖ 960mm
- ⊙ 4.13kg
- SECTION 3
- ⊙ 25,30,35
- ⊕ 5kg



5/8" Baby Pin

## Quick Release Boom Arm



Video



### ▪ L-2516

- ⊗ 1230mm
- ⊕ 2210mm
- ⊖ 1230mm
- ⊙ 5.33kg
- SECTION 2
- ⊙ 25,30
- ⊕ 10kg



5/8" Baby Pin



Patented Quick-Lock Turntable



Rear Hook



### ▪ L-2516A

- ⊗ 1720mm
- ⊕ 3000mm
- ⊖ 1720mm
- ⊙ 7.82kg
- SECTION 2
- ⊙ 35,40
- ⊕ 10kg



Junior Receiver



Patented Quick-Lock Turntable



Rear Hook

## Lever Lock

Dearkol's patented quick-lock boom arm differs from traditional arms in that it features a buckle-type quick-release and locking mechanism. Additionally, the central gear locking device allows for safe and secure locking even when counterweights are removed from one side.



## Reinforced Aluminum Crank Boom Stand



Video



### COLOR SELECTION



Matte Black

### STANDARD ACCESSORIES




MB-18  
Comes with 1-1/8 to 5/8 adapter



## PRODUCTION SPECIFICATION

ITEM NO	Min. Height	Max. Height	Folded Height	Net Weight	Load Capacity	Column Diameter	Section
DL-1023	2160mm	3700mm	2160mm	16.6kg	10kg	45,55	2



## Reinforced Steel Crank Boom Stand



### COLOR SELECTION



Matte Black



Silver

### STANDARD ACCESSORIES



MB-18  
Comes with 1-1/8 to 5/8 adapter



## PRODUCTION SPECIFICATION

ITEM NO	Min. Height	Max. Height	Folded Height	Net Weight	Load Capacity	Column Diameter	Section
DL-1123	2220mm	3710mm	2220mm	24.6kg	20kg	40,50	2



## Product Features

Dual-Use Boom Stand Combines upright support and lateral extension functions, suitable for studio, portrait, product photography, and other multi-scene lighting needs. It can also be used as a combo stand while its arm structure allows flexible adjustment of light angles for more precise top light, side light, and fill light setups.



Junior Receiver



Pull-Ring Collar



Block Clamp Collar



Rotating Disc

## Steel Dual-Purpose Boom Light Stand



### DM-6

- ⊗ 1490mm
- ⊕ 4080mm
- ⊖ 1420mm
- ⊙ 18.8kg
- SECTION 5
- ⊘ 25,30,35,40,45
- LEG 25x25mm
- ⊕ 10kg
- ⊖ 1200mm
- ⊙ 1875mm
- ⊗ 4"



### DM-8

- ⊗ 1680mm
- ⊕ 5320mm
- ⊖ 1720mm
- ⊙ 22.1kg
- SECTION 5
- ⊘ 25,30,35,40,45
- LEG 25x25mm
- ⊕ 10kg
- ⊖ 1440mm
- ⊙ 2400mm
- ⊗ 4"

## Key Features



### Dual-Purpose Design

When the boom arm is retracted, the unit functions as a standard combo stand. The boom arm can also be quickly output and used as an overhead light stand, enabling versatile lighting setups such as side lighting and top lighting.

### Adjustable MegaTwist Handle

Dearkol Boom Stand features an ultra-wide angle rotatable disk that offers maximum angle adjustability. Also the oversized MegaTwist handle on the disk facilitates easy locking and releasing.



### DM-9

- ⊗ 1910mm
- ⊕ 4920mm
- ⊖ 1665mm
- ⊙ 15.68kg
- SECTION 5
- ⊘ 30,35,40,45
- LEG 25x25mm
- ⊕ 15kg
- ⊖ 1440mm
- ⊙ 2640mm



### DM-10

- ⊗ 1750mm
- ⊕ 5500mm
- ⊖ 1780mm
- ⊙ 28kg
- SECTION 5
- ⊘ 30,35,40,45,50
- LEG 30x30mm
- ⊕ 20kg
- ⊖ 1600mm
- ⊙ 2400mm

## Optional Accessories



M11-036B  
25x25 Locking wheel set for combo stands



M11-036F  
30x30 Heavy-duty Locking Wheel Set

## Steel Dual-Purpose Boom Light Stand



压块式司通

Model No.	M-6	M-8
⊗	1490mm	1680mm
⊕	4080mm/	5320mm
⊖	1420mm	1720mm
⊙	18.4kg	22.1kg
SECTION	5	5
⊘	25,30,35,40,45	25,30,35,40,45
LEG	25x25mm	25x25mm
⊕	10kg	10kg
⊖	1200mm	1440mm
⊙	1875mm	2400mm
⊗	4"	4"




### ▪ M-10

- ⊕ 1750mm
- ⊕ 5500mm
- ⊕ 1780mm
- ⊕ 27.4kg
- SECTION 5
- ⊕ 30,35,40,45,50
- LEG 30x30mm
- ⊕ 20kg
- ⊕ 1600mm
- ⊕ 2400mm

### Optional Accessories



M11-036F  
30x30 Heavy-duty Locking  
Wheel Set



# DEARKOL BOOM STANDS

## Product Features


Uses top-and-bottom bracing structure to securely fix between floor and ceiling without drilling or damaging walls. Telescopic design with a wide length range and quick height adjustment to suit different shooting needs.




Top Suction Cup



Handle



## Product Features



### • No-drill Installation & Quick Setup

Fixed via air pressure locking, no damage to walls or ceilings, suitable for temporary setups. Simple structure-adjust length and press the handle to complete installation, saving on-set setup time.

### • Multi-functional Expansion

With universal clamps and other fixtures, can add lights, reflectors, background cloths, and other photography accessories.

# C-Stand

## DC / CK Series

### Product Features

Core advantages include flexible folding structure and strong load-bearing capacity. Can be stably positioned in narrow spaces, stairs, slopes, and other uneven surfaces, achieving low-angle and ground-level lighting that traditional stands struggle with. Its 5/8" standard interface is compatible with various lights and accessories, allowing quick and smooth adjustment, suitable for studio, outdoor, and live streaming scenarios.



Quick-Release Legs



Ladder-Type Legs



5/8" Baby Pin



Pull-Ring Collar



Clamp-Lock Collar




#### Quick Release Turtle Base C Stand

Model No.	CK-1	CK-1-20"
	1440mm	965mm
	2895mm	1655mm
	1245mm	780mm
	7.02kg	7.16kg
SECTION	3	3
	25,30,35 16	25,30,35 16
LEG	30mm	30mm
	10kg	10kg
	1000mm	1000mm
	1035mm	500mm



#### Quick Release Turtle Base C Stand

Model No.	DC-1	DC-1-20"
	1440mm	965mm
	2895mm	1660mm
	1245mm	780mm
	9.2kg	7.28kg
SECTION	3	3
	25,30,35 16	25,30,35 16
LEG	30mm	30mm
	10kg	10kg
	500mm	1000mm
	1000mm	500mm



Quick-release deployment, rapid positioning efficient structure . Through a quick-open leg design, even in tight spaces or busy multi-person sets, lighting setup can be completed quickly, improving overall setup efficiency. Whether for studio sets, outdoor mobile shoots, or fast-paced projects requiring frequent moves, the quick-open leg provides efficient, safe, and reliable industry-grade support.

## ■ C-Stand with Sliding Leg

Model No.	CK-2	CK-2-20"
	1420mm	860mm
	3260mm	1610mm
	1420mm	860mm
	8.4kg	6.1kg
SECTION	3	3
	25,30,35 16	25,30,35 16
LEG	30mm	30mm
	10kg	10kg
	1000mm	1000mm
	1000mm	500mm



## ■ C-Stand with Sliding Leg

Model No.	DC-2	DC-2-20"
	1420mm	860mm
	3260mm	1610mm
	1420mm	860mm
	7.10kg	5.5kg
SECTION	3	3
	25,30,35 16	25,30,35 16
LEG	30	30mm
	10kg/22lbs	10kg
	1000mm	1000mm
	1000mm	500mm



Mountain Climber base design offers greater height expandability and more flexible ground placement, suitable for outdoor film shoots, advertising lighting, studio sets, and other situations requiring height adjustment. Its ladder-like multi-stage positioning design allows flexible adjustment on uneven ground, stairs, stage sets, etc., ensuring stable support for lights at different heights and angles.

## Product Features

Ultra-low ground-level design suitable for tight spaces, for example under furniture or ground-level lighting, backlight ambiance, etc. Smooth casters with brake system allow flexible light movement and quick adjustment. All-metal structure ensures stable load-bearing. Standard 1-1/8" adapter is compatible with various lights and accessories. Small footprint, foldable for storage, quick deployment – a highly efficient basic lighting or monitor support equipment commonly used in studios and film crews.



1-1/8" Junior Receiver



5/8" Baby Pin

### Optional Accessories



Video



M11-015  
1-1/8" & 5/8" Junior to Baby Pin



### Runway Base Light Stand

Model No.	X-01	X-02
	150mm	150mm
	150mm	150mm
	420mm	520mm
	4.18kg	4.5kg
SECTION	/	/
	/	/
LEG	25x25mm	25x25mm
	80kg	80kg
	740mm	930mm
	3"	3"

### Octopus Roller Light Stand

Model No.	X-20"	X-30"	X-40"
	710mm	910mm	1170mm
	1470mm	2100mm	2700mm
	610mm	840mm	1140mm
	6.9kg	7.4kg	7.88kg
SECTION	3	3	3
	25,30,35	25,30,35	25,30,35
LEG	25x25mm	25x25mm	25x25mm
	18kg	18kg	18kg
	740mm	740mm	740mm
	3"	3"	3"

### Runway Base Light Stand



#### X-03

- 270mm
- 270mm
- 435mm
- 5kg
- SECTION /
- /
- LEG 30x30mm
- 80kg
- 760mm
- 3"

### Runway Base Light Stand




#### COB-01

- 245mm
- 245mm
- 435mm
- 4.73kg
- SECTION /
- /
- LEG 25x25mm
- 80kg
- 880mm
- 3"

### Optional Accessories



M11-015  
1-1/8" & 5/8" Junior to Baby Pin



## ■ Octopus Roller Light Stand

Model No.	COB-20"	COB-30"	COB-40"
⊗	820mm	1075mm	1270mm
⊕	1570mm	2195mm	2810mm
⊖	610mm	900mm	1000mm
⊙	7.0kg	7.3kg	8kg
SECTION	3	3	3
⊙	25,30,35	25,30,35	25,30,35
LEG	25x25mm	25x25mm	25x25mm
⊕	18kg	18kg	18kg
⊖	880mm	880mm	880mm
⊗	3"	3"	3"



### Product List



- ① Baby Stand Extension
- ② Turtle Base
- ③ Caster Wheels

## ■ MF-6800

- ⊗ 350mm
- ⊕ 350mm
- ⊖ 530mm
- ⊙ 4.1kg
- SECTION /
- ⊙ /
- LEG 20x40mm
- ⊕ 30kg
- ⊖ 1100mm
- ⊗ 3"



## ■ DMF-1000F

- ⊗ 680mm
- ⊕ 1000mm
- ⊖ 680mm
- ⊙ 2.88kg
- SECTION 3
- ⊙ 35,40,45
- LEG
- ⊕ 10kg



# TURTLE BASE LIGHT STAND



## Product Features

Unique shape design suitable for tight spaces, can hug walls to reduce footprint. Two adjustable leg tubes adapt to uneven surfaces. Slanted arm extends for use as a boom; each retracted section increases load capacity by 5KG. Includes safety pin for secure use.



Junior Receiver



5/8" Baby Pin



Telescopic Legs

## Mini Max Boom Stand



### G-1

- Ⓐ 1410mm
- Ⓐ 2100mm
- Ⓢ 1760mm
- Ⓢ 18.45kg
- SECTION 5
- Ⓢ 30,35,40
- LEG 25x25cm
- Ⓢ 10kg
- Ⓢ 1600mm
- Ⓢ 2500mm
- Ⓢ 2100mm



### Standard Accessories



MB-10  
5/8" Baby Pin  
L:145mm



M11-032  
Sand Bag



### G-2

- Ⓐ 1410mm
- Ⓐ 2100mm
- Ⓢ 1760mm
- Ⓢ 17.5kg
- SECTION 5
- Ⓢ 30,35,40
- LEG 25x25cm
- Ⓢ 10kg
- Ⓢ 1600mm
- Ⓢ 2500mm
- Ⓢ 2100mm



### Standard Accessories



MB-10  
5/8" Baby Pin  
L:145mm



M11-032  
Sand Bag



## Product Features

High-strength steel construction provides excellent load capacity and stability for heavy lighting setups. Durable and impact-resistant, ideal for long-term professional use. The heavier base lowers the center of gravity for improved stability, even in outdoor environments. Compatible with various lighting equipment and accessories through standard mounts.



Junior Receiver



5/8" Baby Pin



Pull-Ring Collar



Telescopic Legs



Video



Telescopic Legs




Pull-Ring Collar



### Combo Stand

Model No.	MYD-0030	MYD-0040
⊗	1225mm	1530mm
⊕	3000mm	4000mm
⊖	1100mm	1355mm
⊙	6.76kg	9.1kg
SECTION	4	4
⊙	20,25,30,35	20,25,30,35
LEG	20x20mm	20x20mm
⊕	10kg	10kg
⊖	1265mm	1265mm



Video



Junior Receiver



Telescopic Legs



Lift Handle



### MYC-1017B

- ⊗ 935mm
- ⊕ 1670mm
- ⊖ 930mm
- ⊙ 8.8kg
- SECTION 3
- ⊙ 35,40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 1060mm



Junior Receiver



Telescopic Legs



### DMF-3400F

- ⊗ 1560mm
- ⊕ 3315mm
- ⊖ 1440mm
- ⊙ 9.78kg
- SECTION 3
- ⊙ 30,35,40
- LEG 25mm
- ⊕ 40kg
- ⊖ 1300mm



5/8" Baby Pin



Telescopic Legs



### MYD-0040B

- ⊗ 1445mm
- ⊕ 4370mm
- ⊖ 1240mm
- ⊙ 4.85kg
- SECTION 4
- ⊙ 20,25,30,35
- LEG 20x20mm
- ⊕ 5kg
- ⊖ 1274mm

# Combo Stand

# MYC Series

## Low Boy



1-1/8" Junior Receiver

▪ **MYC-1010**

- ⊗ 580mm
- ⊕ 960mm
- ⊖ 580mm
- ⊙ 5.1kg
- SECTION 2
- ⊙ 40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 620mm




1-1/8" Junior Receiver

2 Telescopic Legs

▪ **MYC-1011**

- ⊗ 655mm
- ⊕ 1150mm
- ⊖ 655mm
- ⊙ 7.1kg
- SECTION 2
- ⊙ 40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 870mm



1-1/8" Junior Receiver

2 Telescopic Legs

▪ **MYC-1016**

- ⊗ 840mm
- ⊕ 1570mm
- ⊖ 865mm
- ⊙ 7.98kg
- SECTION 2
- ⊙ 35,40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 1080mm

## Key Features




• **Lower Center of Gravity for Greater Stability**  
 All-metal construction for high load capacity and stability. Low center-of-gravity design keeps the stand steady even in windy outdoor conditions.



• **Wide Compatibility with High Load Capacity**  
 Standard mounts fit various lights, extension rods, and adapters. All-metal construction supports large fixtures and heavy-duty accessories.



## Combo Stand



## Hollywood Light Stand (Pull-Ring Collar)



### Optional Accessories



### High Roller Connector

Provides strong safety and stability, includes round disc for secure clamping without slipping. Multi-angle precise positioning allows fine angle adjustments. Also features standard 1-1/8" interface, compatible with various lights and accessories.

## ■ Hollywood Light Stand (Clamp-Lock Spigot)



**■ MYB-3058**

- ⊗ 1900mm
- ⊕ 5800mm
- ⊖ 1900mm
- ⊙ 19.7kg
- SECTION 4
- ⊙ 30,35,40,45
- LEG 25x25mm
- ⊕ 10kg
- ⊖ 1600mm

Clamp-Lock Collar



## ■ Steel Light Stand (Clamp-Lock Spigot)



**■ MYB-1017B**

- ⊗ 935mm
- ⊕ 1670mm
- ⊖ 930mm
- ⊙ 8.8kg
- SECTION 3
- ⊙ 35,40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 1060mm

Junior Receiver

Telescopic Legs

Lift Handle



Works on uneven surfaces



**■ MYB-3065**

- ⊗ 1950mm
- ⊕ 6300mm
- ⊖ 2150mm
- ⊙ 23.4kg
- SECTION 4
- ⊙ 35,40,45,50
- LEG 30x30mm
- ⊕ 20kg
- ⊖ 2040mm

Clamp-Lock Collar

### Optional Accessories



**M11-036F**  
30x30 Heavy-duty Locking  
Wheel Set



**■ MYB-1035**

- ⊗ 1700mm
- ⊕ 3605mm
- ⊖ 1450mm
- ⊙ 11.3kg
- SECTION 3
- ⊙ 35,40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 1600mm



**■ MYB-1045**

- ⊗ 1565mm
- ⊕ 4598mm
- ⊖ 1570mm
- ⊙ 12.8kg
- SECTION 4
- ⊙ 30,35,40,45
- LEG 25x25mm
- ⊕ 40kg
- ⊖ 1600mm


## Product Features

Large lights can be easily raised and lowered via a hand-crank mechanism, achieving smooth, safe, and controllable height adjustment, avoiding risks and errors of manual lifting. Suitable for large lights and long-term studio use. Stable base support, configurable with casters for flexible movement, meeting on-set demands for efficient lighting. Easy overall operation, one person can complete lifting, significantly improving shooting efficiency.



1-1/8" Junior Receiver

### Low Boy Wind-Up Stand



Ground Spike Leg Tube



Locking Handle

## MFC-1500D

Wind up Stand

Ⓐ 1000mm	ⓑ 14kg	Ⓒ 1100mm
Ⓐ 1550mm	Ⓒ 40,50	SECTION 2
ⓓ 1120mm	Ⓓ 50kg	LEG 30mm



### PRODUCTION SPECIFICATION

ITEM NO	Min. Height	Max. Height	Folded Height	Net Weight	Section	Column Diameter	Leg Diameter	Load Capacity	Footprint
MFC-2200D	1400mm	2200mm	1635mm	28.4kg	2	40,50	30x30mm	40kg	1540mm
MFC-2800D	1700mm	2800mm	1935mm	30.6kg	2	40,50	30x30mm	40kg	1540mm

# Z-Shaped Patent Structure



Video

## MFC-3950D

Wind up Stand

⊗ 1770mm	Ⓢ 39.5kg	⊕ 1540mm
⊗ 3650mm	Ⓢ 40,50,60	SECTION 3
Ⓢ 1940mm	Ⓢ 50kg	LEG 30x30mm



Leveling Leg



Adjustable Handle



Hand slot



Foot pedal



### Advantages of Z-Shape Design

Wheels stay level with the ground during setup and folding

**6"**  
Standard Casters

**50**kg  
Max Load

**3620**mm  
Max Height

■ Medium Wind-Up Stand



# MFE-1700

Wind up Stand

⊗ 980mm	⊕ 26.5kg	⊖ 1100mm
⊗ 1730mm	⊕ 60,70	SECTION 2
⊗ 980mm	⊕ 80kg	LEG 30x30mm



6" Caster



Locking Handle



# MFE-4000

Wind up Stand

⊗ 1820mm	⊕ 49kg	⊖ 2200mm
⊗ 3810mm	⊕ 50,60,70	SECTION 3
⊗ 1970mm	⊕ 65kg	LEG 30x30mm



6" Caster



# MFE-5800

Wind up Stand

⊗ 1970mm	⊕ 57kg	⊖ 2200mm
⊗ 5120mm	⊕ 40,50,60,70	SECTION 4
⊗ 2110mm	⊕ 60kg	LEG 30x30mm



Leveling Leg



Adjustable Handle



8" Caster

SIMPLE TO USE

■ Heavy-Duty Wind-Up Stand



## MFD-1700

Wind up Stand

⊕ 980mm	⊕ 28kg	⊕ 1100mm
⊕ 1730mm	⊕ 60,70	SECTION 2
⊕ 980mm	⊕ 80kg	LEG 30x30mm



8" Caster



Ratchet Handle



## MFD-4000

Wind up Stand

⊕ 1550mm	⊕ 60.2kg	⊕ 2200mm
⊕ 4060mm	⊕ 60,70,80,90	SECTION 4
⊕ 1860mm	⊕ 65kg	LEG 30x30mm



8" Caster



Ratchet Handle



## MFD-3000

Wind up Stand

⊕ 1400mm	⊕ 50kg	⊕ 2200mm
⊕ 2900mm	⊕ 70,80,90	SECTION 3
⊕ 1530mm	⊕ 65kg	LEG 30x30mm



8" Caster



Ratchet Handle



# DEARKOL WIND-UP

## MFD-6000

Wind up Stand


⊗ 1860mm	Ⓟ 82kg	⊕ 2200mm
⊕ 5650mm	⊖ 50,60,70,80,90	SECTION 5
Ⓜ 2130mm	Ⓡ 65kg	LEG 30x30mm




PRECISE HEIGHT CONTROL




Fold Up Handle



Ratchet Handle



8" Caster



**1-1/8"**  
Standard Mount

**65<sub>kg</sub>**  
Max Load

**5650<sub>mm</sub>**  
Max Height

### DEARKOL Advantage

Ratchet handle allows easy lifting with a short rotation. The stainless steel crank stand is durable and strong, can operate in rainy conditions.

## Product Features

These accessories can support to truss structure to provide stable and reliable multi-point support for crossbars, pipes, and accessories, effectively distributing force and preventing rolling and side-slip. Enables quick placement and removal without complex locking.

■ **Truss Assembly Accessories (Tube Diameter 42.4mm)**



CS-10



CS-11



CS-12



CS-13



CS-14



CS-15



CS-16



CS-17



CS-18



CS-19



CS-01



CS-02



CS-03



CS-04



**CS-20**  
Truss Support Base Adapter  
Clamping Tube Spacing: 19~25cm  
12.46kg



Application Example

# 03

PART 3

## Dearkol Light Control accessories



Product Features

Flags & Butterfly Frames are commonly used light control tools in film production. Flags primarily block and cut stray light, diffuse light, offering precise control, suitable for local light reduction and detail shaping, flexible and efficient. Butterfly cloth mainly softens, diffuses, or shades light, covers large areas, suitable for overall light adjustment and large scene shoots. Used together, they effectively enhance image depth and light/shadow quality.

Stainless Steel Flag



Standard Accessories



Fabric:Soft

HB-2836SS  
28x36" (70x90cm)

HB-4848SS  
48x48" (120x120cm)




HB-2836A  
28x36" (70x90cm)




HB-4848A  
48x48" (120x120cm)

Standard Accessories



Soft ,gold,silver,black,white based on customer need

Aluminum Flat Frame Flag



Flat Bar Welding

HB-2436  
24x36" (60x90cm)

HB-4848  
48x48" (120x120cm)

Curved Flat Frame Flag Curved Stainless Steel Flag



Standard Accessories



Fabric:Soft

HB-2536B  
25x36" (64x90cm)

HB-2536S  
25x36" (64x90cm)



### PRODUCTION SPECIFICATION

ITEM NO	Size	Folded Height	Net Weight	Column Diameter
HD-2400A	2400x2400mm	1250mm	12.65kg	28x28mm
HD-3600A	3600x3600mm	1800mm	15.33kg	28x28mm



### Product List



- ① Storage Bag
- ② Main Frame
- ③ Grid Cloth
- ④ Grip Head
- ⑤ Frame Supports
- ⑥ Tie Rope
- ⑦ Corner Tension Strap

### PRODUCTION SPECIFICATION

ITEM NO	Size	Folded Height	Net Weight	Column Diameter
HF-1800	1800x1800mm	1800mm	9.10kg	25x25mm
HF-2400	2400x2400mm	2400mm	12.1kg	25x25mm
HF-3600	3600x3600mm	2400mm	16.8kg	25x25mm

### Optional Accessories



MF-7060A

MF-7070A

### Product List



- ① Main Frame
- ② Grid Cloth
- ③ Grip Head
- ④ Frame Supports
- ⑤ Tie Rope
- ⑥ Corner Tension Strap



## PRODUCTION SPECIFICATION

ITEM NO	Size	Folded Height	Net Weight	Column Diameter
HE-1800	1800x1800mm	1800mm	9.10kg	25x25mm
HE-2400	2400x2400mm	2400mm	12.1kg	25x25mm
HE-3600	3600x3600mm	2400mm	16.8kg	25x25mm

## Optional Accessories



MF-7060A

MF-7070A

## Product List



## PRODUCTION SPECIFICATION

ITEM NO	Size	Folded Height	Net Weight	Column Diameter
HG-2400	2400x2400mm	1250mm	12.65kg	30x30mm
HG-3600	3600x3600mm	1800mm	15.33kg	30x30mm



## Product List





### PRODUCTION SPECIFICATION

ITEM NO	Size	Folded Height	Net Weight	Column Diameter
HD-3600B	3600x3600mm	1800mm	32.6kg	44mm



### Product List



- ① Tube
- ② Butterfly Diffusion
- ③ Frame Supports
- ④ Right-angle Connector
- ⑤ Tie Rope
- ⑥ Corner Tension Strap



# 04

PART 4

## Dearkol Cart



**Product Features**

Features a sturdy metal structure with strong load capacity, capable of transporting multiple stands and lights or accessories. Equipped with silent swivel casters for smooth movement, operable by one person, greatly improving lighting setup and teardown efficiency. Zoned storage design keeps stands organized and tangle-free for easy access. Suitable for studios, film sets and other shooting environments.

▪ **Sandbag Cart**



▪ **DK-001**  
 Dimensions 1000x710x1200mm  
 Ⓢ 65kg  
 Ⓣ 200kg  
 Ⓞ 10"



For placing sandbags or cables



• Handle



• Flip-fold Storage

▪ **C-Stand Cart (14 C-Stands)**



▪ **DK-002**  
 Dimensions 750x600x1490mm  
 Ⓢ 35kg  
 Ⓣ 150kg  
 Ⓞ 6",8"



▪ **DK-002A**  
 Dimensions 750x600x1490mm  
 Ⓢ 35.9kg  
 Ⓣ 150kg  
 Ⓞ 6",8"

▪ **Flag and Accessory Cart**



▪ **DK-005**  
 Dimensions 1250x540x1230mm  
 Ⓢ 65.5kg  
 Ⓣ 300kg  
 Ⓞ 8"

▪ Combo Stand Cart



▪ DK-007  
 Dimensions 1265x660x1230mm  
 Ⓢ 78kg  
 Ⓣ 200kg  
 Ⓞ 6"



Capacity: 20 Combo Stand

▪ C-Stand Cart



▪ DK-008A  
 Dimensions 1100x740x1100mm  
 Ⓢ 52.5kg  
 Ⓣ 300kg  
 Ⓞ 6"



Capacity: 24 C-Stands (37 mm socket)

▪ C-Stand Cart




▪ DK-008  
 Dimensions 1030x690x1430mm  
 Ⓢ 47.8kg  
 Ⓣ 200kg  
 Ⓞ 6"



Capacity: 20 C-Stands (37 mm socket)

▪ Cable Cart



▪ DK-011  
 Dimensions 1100x830x1750mm  
 Ⓢ 88.5kg  
 Ⓣ 200kg  
 Ⓞ 8"



For Lights & Cables

Aluminum Stand Cart



DK-012  
Dimensions 900x700x1300mm  
41.3kg  
200kg  
6"



Capacity: 24 Baby Stand (32 mm socket)

Multi-functional Cart



DK-015  
Dimensions 1180x690x1530mm  
61kg  
200kg  
8"



14 C-Stands, 9 Combo Stand, 6 Baby Stand

Flag Cart



DK-014  
Dimensions 1450x700x1870mm  
97.5kg  
200kg  
8"



Capacity: 20 Flags

Multi-functional Cart



DK-018  
Dimensions 1450x800x1570mm  
71kg  
200kg  
8"



Video



18 C-Stands, 8 Combo Stand, 8 Baby Stand, 20 Flags


Multi-functional Cart



DK-019  
Dimensions 1450x1000x1570mm  
84kg  
200kg  
8"



12 C-Stands, 14 Combo Stand, 8 Baby Stand



C-Stand Storage



Baby Stand Storage



Combo Stand Storage

